

Page : 1/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Methylamine
Chemical description	Methylamine (Synonym Monomethylamine)
CAS N°	74-89-5
CE N°	200-820-0
Index N°	612-001-00-9
Registration n°	01-2119475496-25
Chemical formula	CH ₃ NH ₂

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test gas/Calibration gas	
	Chemical reaction / Synthesis	
	Laboratory use	
	Contact supplier for more information on uses	
Uses advised against	Consumer use not recommended	

1.3. Details of the supplier of the safety data sheet

	MULTIGAS
Company identification	Route de l'Industrie 102
	CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51 +41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable gases, Category 1

Gases under pressure : Liquefied gas

H220 H280



Page : 2/12 Revised edition n°: 10.2 Revision date: 01/2023

Methylamine

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 1	H318
Acute toxicity (inhalation: gas) Category 3	H331
Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation	H335

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms		
	GHS02 GHS04 GHS05 GHS06	
Signal word	Danger	
Hazard statements		
H220	Extremely flammable gas	
H280	Contains gas under pressure; may explode if heated	
H315	Causes skin irritation	
H318	Causes serious eye damage	
H331	Toxic if inhaled	
H335	May cause respiratory irritation	
Precautionary statements		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking	
P260	Do not breathe gas, vapours	
P280	Wear protective gloves, protective clothing, eye protection, face protection	
P302+P352	IF ON SKIN: Wash with plenty of soap and water.	
P304+P340+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention	
P305+P351+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention	
P332+P313	If skin irritation occurs: Get medical advice/attention	
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely	
P381	In case of leakage, eliminate all ignition sources	
P410+403	Protect from sunlight. Store in a well-ventilated place	
P405	Store locked up	



Page : 3/12 Revised edition n°: 10.2 Revision date : 01/2023

MTG082

Methylamine

2.3. Other hazards

Teargas

Possible adverse effects on humans and possible symptoms

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Methylamine	(CAS-No.) 74-89-5 (EC-No.) 200-820-0 (EC Index-No.) 612-001-00-9 (Registration-No.) 01-2119475496-25	> 99.5%	Flam. Gas 1, H220 Press. Gas (Liq.), H280 Acute Tox. 3 (Inhalation: gas), H331 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335 Concentration limits: >= 5 %: Skin Irrit. 2, H315; >= 5 %: Eye Dam. 1, H318; 0,5 - < 5 %: Eye Irrit. 2, H319; >= 5 %: STOT SE 3, H335;

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	Remove contaminated clothing and shoes immediately. Wash with soap and plenty of water. Take victim immediately to hospital. See a doctor
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

May cause severe chemical burns to cornea. Suitable first-aid treatment should be immediately available

May cause irritation to skin



SAFETY DATASHEET

Page : 4/12 Revised edition n°: 10.2 Revision date: 01/2023

Methylamine

MTG082

May cause irritation to the respiratory tract, sneezing, coughing, burning sensation of throat with constricting sensation of the larynx and difficulty in breathing

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	Water spray or water mist. Dry powder. Foam		
Unsuitable extinguishing media	Do not use water jet to extinguish		
5.2. Special hazards arising from the substance or mixture			
Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced		
	Exposure to fire may cause containers to rupture/explode		
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbon monoxide, nitric oxides (NO _x)		

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases Provide adequate ventilation Evacuate personnel to a safe place Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak Reduce steam by spraying water as a mist or fine droplets

6.3. Methods and material for containment and cleaning up

Ventilate the area Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)



Page : 5/12 Revised edition n° : 10.2 Revision date : 01/2023

Methylamine

MTG082

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes Avoid breathing vapour or mist Keep away from sources of ignition - No smoking Take precautionary measures against static discharge For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and wellventilated place Keep away from combustible materials and sources of ignition Content under pressure

7.3. Specific end use(s)

None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Methylamine 74-89-5	T 14/4	10 ppm	SUVA: Limit values of	
	74 90 5	TWA	12 mg/m ³	exposure to workstations
	OEL	10 ppm	SUVA: Limit values of exposure to workstations	
		12 mg/m ³		

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation Gas detectors should be used when flammable / toxic gases / vapours are likely to be released



Page : 6/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166
Skin / hand protection	Wear protective gloves when handling gas cylinders. Standard EN 388- Protective gloves against mechanical hazards
	Wear cold insulating gloves when transferring or disconnecting transfer lines Standard EN 511 - Insulating gloves against cold
	Wearing chemical resistant gloves Standard EN 374-Protective gloves against chemicals
	For short-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	For long-term use
	Material: Fluoroelastomer
	Penetration time:> 480 min
	Glove thickness: 0.7 mm
	Have appropriate, chemical-resistant protective clothing ready for use in emergencies
Respiratory protection	When the risk assessment shows that the use of respirable respirators is appropriate, use a full face mask with EN 14387 multipurpose cartridge. If the mask is the only means of protection, use a full face respirator. Use NIOSH (US) or CEN (EU) tested and approved equipment

8.2.3. Environmental exposure controls

Avoid further spills or leaks if safe to do so

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
 Physical state at 20°C / 101.3kPa 	Gas
• Colour	Colourless
Odour	Amine
Odour threshold	0.025 – 12 mg/m ³
рН	No data available
Melting point / Freezing point	-93.46°C
Boiling point	-6.3°C
Flash point	<-30°C (Closed cup)
Evaporation rate	No data available
Flammability (solid, gas)	Flammable gas



Page : 7/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

Explosive limits	4.9 - 20.7%
Vapour pressure [20°C]	3 bar
Vapour pressure [50°C]	7.9 bar
Vapour density	No data available
Relative density, liquid (water=1)	0.69
Relative density, gas (air=1)	1.1
Water solubility	1080 g/l
Partition coefficient	-0.57
n-octanol/water (Log Kow)	
Auto-ignition temperature	430°C
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
9.2. Other information	
Molar mass	31 g/mol

	0
Critical temperature [°C]	156.9°C
Relative vapour density	1.1

SECTION 10: Stability and reactivity

10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions

May react violently with oxidizing agents Reacts with alkali metals Reacts with alcohols Reacts with many chemical compounds

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking



Page : 8/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

10.5. Incompatible materials

Oxidants, acids, acid chlorides, acid anhydrides, chloroformates, phosphorus halides

Reacts with water to form corrosive alkalis

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	Toxic if inhaled
Skin corrosion/irritation	Causes skin irritation. Classified according to Regulation (EU) No 1272/2008, Annex VI (Table 3.1/3.2)
Serious eye damage/irritation	Causes serious eye damage
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available

SECTION 12: Ecological information	on
<u>12.1. Toxicity</u> Assessment	Classification criteria are not met
12.2. Persistence and degradability	Rapidly biodegradable substance. Persistence improbable
12.3. Bioaccumulative potential	No data available
<u>12.4. Mobility in soil</u>	

No data available



Page : 9/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

12.5. Results of PBT and vPvB assessment

 PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

May cause pH changes in aqueous ecological systems Harmful to aquatic life, causes long-term adverse effects

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product	Must not be released into the atmosphere	
	Burn in a chemical incinerator equipped with an afterburner and scrubber	
	Return to the supplier the product not consumed in its original container	
Contaminated container	Eliminate as unused product	
	Contact the supplier if instructions are needed	
OMoD Code	16 05 04	
	Gases in pressure containers containing dangerous substances	

SECTION 14: Transport information

14.1. UN number

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
1061	1061	1061

14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
Methylamine, anhydrous	Methylamine, anhydrous	Methylamine, anhydrous

14.3. Transport hazard class(es)

Labelling

ADR/RID IMDG IATA



2.1 : Flammable gases

Not established

	gasÔ
mulli	aas
	0

Page : 10/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

IMDG IATA

14.5. Environmental hazards

ADR/RIDNoneIMDGNoneICAO-TI / IATA-DGRNone

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has been carried out

SECTION 16: Other information	n	
Indication of changes	Revised safet No 2015/830	ty data sheet in accordance with commission regulation (EU)
Abbreviations and acronyms	ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS :	Chemical Abstract Service number (USA)
	CLP :	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	CSA :	Chemical Safety Assessment
	EIGA :	European Industrial Gases Association
	EINECS :	European Inventory of Existing Commercial Chemical Substances
	EN :	European Standard
	ATE :	Acute Toxicity Estimate
	IATA :	International Air Transport Association
	IMDG Code :	International Maritime Dangerous Goods Code
	LC50 :	Lethal Concentration to 50 % of a test population
	OMoD :	Swiss Ordinance on the movement of waste
	PBT :	Persistent, Bioaccumulative and Toxic



Page : 11/12 Revised edition n° : 10.2 Revision date : 01/2023

MTG082

Methylamine

PPE:	Personal Protection Equipment
REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID :	Regulations concerning the international carriage of dangerous goods by rail
RMM :	Risk Management Measures
STOT-SE :	Specific Target Organ Toxicity - Single Exposure
UN :	United Nations
vPvB :	Very Persistent and Very Bioaccumulative
WGK:	Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

	H220	Extremely flammable gas
	H280	Contains gas under pressure; may explode if heated
	H315	Causes skin irritation
	H318	Causes serious eye damage
	H331	Toxic if inhaled
	H335	May cause respiratory irritation
Precautionary stateme	ents	
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
	P260	Do not breathe gas, vapours
	P280	Wear protective gloves, protective clothing, eye protection, face protection
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P304+P340	+P315	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get immediate medical advice / attention
P305+P351	+P338+P315	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice / attention
	P332+P313	If skin irritation occurs: Get medical advice/attention
	P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
	P381	In case of leakage, eliminate all ignition sources
	P410+403	Protect from sunlight. Store in a well-ventilated place
	P405	Store locked up
Disclaimer of liability		Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
		They do not claim to be exhaustive and should be considered as a guide



Page : 12/12 Revised edition n° : 10.2 Revision date : 01/2023

Methylamine

MTG082