	SAFETY DATASHEET	Page : 1/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name	Propane R290
Chemical description	Propane
CAS N°	74-98-6
CE N°	200-827-9
Index N°	601-003-00-5
Registration n°	01-2119486944-21
Chemical formula	C ₃ H ₈

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional Test or calibration gas For refrigeration and air conditioning Laboratory use Chemical reaction/synthesis Use as fuel Contact supplier for more information on uses
Uses advised against	For use by industrial or professional users only

1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

1.4. Emergency telephone numbers


145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51
+41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]



Flammable gases, Category 1	H220
Gases under pressure : Liquefied gas	H280

	SAFETY DATASHEET	Page : 2/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms	 
	GHS02 GHS04
Signal word	Danger
Hazard statements	
H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated
Precautionary statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
P381	In case of leakage, eliminate all ignition sources
P410+P403	Protect from sunlight. Store in a well-ventilated place

2.3. Other hazards

Contact with liquid may cause cold burns/frostbite

SECTION 3: Composition/information on ingredients

3.1. Substances


Name	Product identifier	Concentration	Classification
Propane	(CAS-No.) 74-98-6 (EC-No.) 200-827-9 (EC Index-No.) 601-003-00-5 (Registration-No.) 01-2119486944-21	> 97%	Flam. Gas 1, H220 Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

Not established

	SAFETY DATASHEET	Page : 3/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	In case of frostbite spray with water for at least 15 minutes. Apply a sterile dressing. See a doctor
In case of eyes contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a doctor
In case of ingestion	Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	All known extinguishing agents can be used
Unsuitable extinguishing media	Do not use water jet to extinguish

5.2. Special hazards arising from the substance or mixture

Specific hazards	In case of fire or excessive heat, hazardous combustion products may be produced Exposure to fire may cause containers to rupture/explode
Hazardous combustion products	In case of fire or excessive heat, hazardous combustion products may be produced such as : carbon monoxide

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases
Provide adequate ventilation

Propane R290

MTG---

Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous
 Evacuate personnel to a safe place
 Personal protective equipment, see section 8

6.2. Environmental precautions

Try to stop the leak

6.3. Methods and material for containment and cleaning up

Keep area evacuated and free from ignition sources until any spilled liquid has evaporated (ground free from frost)

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing vapour or mist
 Ensure adequate air ventilation
 Keep away from sources of ignition (including electrostatic charges)
 For precautions, see section 2.2

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place
 Content under pressure

7.3. Specific end use(s)


None

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Control parameter	Source
Propane	74-98-6	TWA	1'000 ppm	SUVA: Limit values of exposure to workstations
			1'800 mg/m ³	
		OEL	4'000 ppm	SUVA: Limit values of exposure to workstations
			7'200 mg/m ³	

	SAFETY DATASHEET	Page : 5/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation
Gas detectors should be used when flammable / toxic gases / vapours are likely to be released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear goggles and a face shield when transfilling or breaking transfer connections. Standard EN 166
Skin / hand protection	<p>Wear protective gloves The selected protective gloves have to satisfy the specifications of EU Directive 89/686 / EEC and the standard EN 374 derived from it</p> <p>For short-term use Material: Fluoroelastomere Glove thickness: 0.4 mm Penetration time: 30 min</p> <p>For long-term use Material: Fluoroelastomere Glove thickness: 0.7 mm Penetration time: 480 min</p> <p>Have appropriate, chemical-resistant protective clothing ready for use in emergencies</p>
Respiratory protection	Self-contained breathing apparatus (SCBA) or positive pressure air mask must be used in oxygenated atmospheres. Standard EN 137 - Self-contained compressed air device with a full face mask

8.2.3. Environmental exposure controls

-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	
• Physical state at 20°C / 101.3kPa	Gas
• Colour	Colourless
Odour	Odourless
Odour threshold	No data available
pH	No data available
Melting point / Freezing point	-187.62°C
Boiling point	-161.5°C
Flash point	-104°C (closed cupel)

Propane R290
MTG---

Evaporation rate	No data available
Flammability (solid, gas)	Extremely flammable gas
Explosive limits	1.7 – 10.8 %
Vapour pressure [20°C]	8.3 bar
Vapour pressure [50°C]	17 bar
Vapour density	0.507 g/cm ³
Relative density, liquid (water=1)	0.58
Relative density, gas (air=1)	1.5
Water solubility	62.4 mg/l
Partition coefficient n-octanol/water (Log Kow)	2.36
Auto-ignition temperature	> 450°C
Decomposition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available

9.2. Other information

Molar mass	44.096 g/mol
Critical temperature [°C]	96.68°C
Relative vapour density	Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level

SECTION 10: Stability and reactivity
10.1. Reactivity

No reactivity hazard other than the effects described in sub-sections below

10.2. Chemical stability

Stable under recommended storage conditions

10.3. Possibility of hazardous reactions


Can form explosive mixture with air
May react violently with oxidants

10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. – No smoking

10.5. Incompatible materials

Strong oxidisers

	SAFETY DATASHEET	Page : 7/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

For additional information on compatibility refer to ISO 11114

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity	No data available
Skin corrosion/irritation	No data available
Serious eye damage/irritation	No data available
Respiratory or skin sensitisation	No data available
Germ cell mutagenicity	No data available
Carcinogenicity	No data available
Reproductive toxicity	No data available
STOT-single exposure – Target organ(s)	No data available
STOT-repeated exposure	No data available
Ingestion hazard	No data available

11.2 Information on other hazards

The substance/mixture has no endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Assessment	The product does not harm the environment
------------	---

12.2. Persistence and degradability


No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

	SAFETY DATASHEET	Page : 8/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

12.5. Results of PBT and vPvB assessment

PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted

12.6. Other adverse effects

The substance/mixture does not have endocrine disrupting properties

12.6. Other adverse effects

Effect on the ozone layer

May contribute to the greenhouse effect when discharged in large quantities For quantities, see bottle label

Ozone depletion potential 0

Effect on global warming

Global warming potential 3

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

Must not be released into the atmosphere

Burn in a chemical incinerator equipped with an afterburner and scrubber

Contaminated container

Return to the supplier the product not consumed in its original container
Contact the supplier if instructions are needed

OMoD Code

16 05 04

Gases in pressurised containers (including halons) containing dangerous substances


SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1978	1978	1978

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
PROPANE	PROPANE	PROPANE

	SAFETY DATASHEET	Page : 9/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

14.3. Transport hazard class(es)

Labelling



ADR/RID
IMDG
IATA

2.1 : Flammable gases

14.4. Packing group

ADR/RID
IMDG
IATA

Not established

14.5. Environmental hazards

ADR/RID

None

IMDG

None

ICAO-TI / IATA-DGR

None

14.6. Special precautions for user

No data available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA has been carried out


SECTION 16: Other information

Indication of changes

Revised safety data sheet in accordance with commission regulation (EU) No 2015/830

Abbreviations and acronyms

ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road
CAS : Chemical Abstract Service number (USA)
CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

	SAFETY DATASHEET	Page : 10/10
		Revised edition n° : 10.3
		Revision date : 03/2024
Propane R290		MTG---

CSA :	Chemical Safety Assessment
EIGA :	European Industrial Gases Association
EINECS :	European Inventory of Existing Commercial Chemical Substances
EN :	European Standard
ATE :	Acute Toxicity Estimate
IATA :	International Air Transport Association
IMDG Code :	International Maritime Dangerous Goods Code
LC50 :	Lethal Concentration to 50 % of a test population
OMoD :	Swiss Ordinance on the movement of waste
PBT :	Persistent, Bioaccumulative and Toxic
PPE:	Personal Protection Equipment
REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID :	Regulations concerning the international carriage of dangerous goods by rail
RMM :	Risk Management Measures
STOT-SE :	Specific Target Organ Toxicity - Single Exposure
UN :	United Nations
vPvB :	Very Persistent and Very Bioaccumulative
WGK:	Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H220	Extremely flammable gas
H280	Contains gas under pressure; may explode if heated

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P377	Leaking gas fire: Do not extinguish, unless leak can be stopped safely
P381	In case of leakage, eliminate all ignition sources
P410+P403	Protect from sunlight. Store in a well-ventilated place

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
They do not claim to be exhaustive and should be considered as a guide