

Page: 1/10

Revised edition n°: 10.0 Revision date: 10/2023

H280

revision date : 10/20

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

MTGXXX

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade nameCarbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen **Chemical description**Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

CAS N° -

CE N° -

Index N° -

Registration n° Listed in Annex IV / V REACH, exempted from registration

Chemical formula N₂, O₂, CO₂

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Industrial and professional

Chemical analysis, calibration, quality control (routine)

Laboratory use

Uses advised against For use by industrial or professional users only

1.3. Details of the supplier of the safety data sheet

MULTIGAS

Company identification Route de l'Industrie 102

CH-1564 Domdidier

Phone number +41 (0) 26 676 94 94

E-mail address info@multigas.ch

1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51

+41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Compressed gas

For the complete H-sentences texts mentioned in that chapter, refer to Section 16



Page: 2/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

 \Diamond

GHS04

Signal word Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+403 Protect from solar radiation. Store in a well-ventilated place

2.3. Other hazards

Asphyxiant in high concentrations

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	Concentration	Classification
Nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (EC Index-No.) (Registration-No.)	79.5%	Press. Gas (Comp.), H280
Oxygen	(CAS-No.) 7782-44-7 (EC-No.) 231-956-9 (EC Index-No.) 008-001-00-8 (Registration-No.)	20.9%	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Carbon dioxide	(CAS-No.) 124-38-9 (EC-No.) 204-696-9 (EC Index-No.) (Registration-No.)	500 ppm	Press. Gas (Liq.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product



Page: 3/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

3.2. Mixtures

Not established

SECTION 4: First aid measures

4.1. Description of first aid measures

General advices See a doctor. Show this safety data sheet to the attending physician

In case of inhalation In case of inhalation, remove the person from the contaminated area. In

case of respiratory arrest, give artificial respiration. See a doctor

In case of skin contact

No adverse effects expected

No adverse effects expected

In case of ingestion Ingestion is not considered a likely route of exposure

4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation

Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

Data not available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product alone does not burn

Water spray or water mist. Dry powder. Foam

Unsuitable extinguishing

media

Do not use water jet

5.2. Special hazards arising from the substance or mixture

Specific hazards Exposure to fire may cause containers to rupture/explode

Hazardous combustion

products

None

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected

position



Page: 4/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases

Provide adequate ventilation

Evacuate the staff to safe place

Personal protective equipment, see section 8

6.2. Environmental precautions

_

6.3. Methods and material for containment and cleaning up

-

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See also sections 8 and 13

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place.

Pressurized contents

7.3. Specific end use(s)

_

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

Component	CAS N°	Exposure value type	Value	Source
Nitrograp	7707 27 0	TWA	-	No occupational exposure limit value
			-	
Nitrogen	7727-37-9		-	
	OEL	-		



Page: 5/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

Oxygen	7782-44-7	T\\/ \	-	No occupational exposure limit value
		TWA	-	
		OEL	-	
			-	
	124-38-9	TWA	5 000 ppm	SUVA : Exposure limit values at workplaces
Carbon dioxide			9 000 mg/m ³	
		OEL	-	SUVA : Exposure
			-	limit values at workplaces

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation

Oxygen detectors should be used when asphyxiating gases may be

released

8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection Wear safety glasses with side shields. Standard EN 166

Skin / hand protection Wear working gloves when handling gas containers. Standard EN 388 -

Protective gloves against mechanical risk

Respiratory protection Self-contained breathing apparatus (SCBA) or positive pressure airline

> with mask are to be used in oxygen-deficient atmospheres. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus

with full face mask

8.2.3. Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state at 20°C /

Gas 101.3kPa

Colourless

Colour Odour Odourless

Odour threshold Data not available рΗ Data not available Melting point / Freezing point Data not available **Boiling point** - Data not available Flash point Data not available



Page : 6/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

Evaporation rate Data not available Flammability (solid, gas) Non-flammable **Explosive limits** Data not available Vapour pressure [20°C] Data not available Vapour pressure [50°C] Data not available Vapour density Data not available Relative Data not available density, liquid (water=1)

Relative density, gas (air=1) 0.996

Water solubility Data not available

Partition coefficient Data not available

n-octanol/water (Log Kow)

Auto-ignition temperatureData not availableDecomposition temperatureData not availableViscosityData not availableExplosive propertiesData not availableOxidising propertiesData not available

9.2. Other information

Molar mass 28.84 g/mol

Critical temperature [°C] Data not available

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazards related to reactivity other than those described in the following

subparagraphs

10.2. Chemical stability

Stable under the recommended storage conditions

10.3. Possibility of hazardous reactions

Data not available

10.4. Conditions to avoid

Data not available

10.5. Incompatible materials

No reaction with any common materials in dry or wet conditions



Page: 7/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

For additional information on compatibility refer to ISO 11114 standard

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products products should not be produced

Hazardous decomposition products are formed in case of fire. Nitrogen oxides (NOx)

SECTION 11: Toxicological information

11.1. Chemical safety assessment

Acute toxicity Data not available Data not available Skin corrosion/irritation Serious eye damage/irritation Data not available Respiratory or skin Data not available sensitisation Germ cell mutagenicity Data not available Carcinogenicity Data not available Reproductive toxicity Data not available STOT-single exposure -Data not available Target organ(s) STOT-repeated exposure Data not available **Aspiration hazard** Data not available

11.2. Information on other hazards

The substance or mixture does not exhibit endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

Assessment Data not available

12.2. Persistence and degradability

Data not available

12.3. Bioaccumulative potential

Data not available

12.4. Mobility in soil

Data not available



Page: 8/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

12.5. Results of PBT and vPvB assessment

No data available. PBT / vPvB assessment is not available as chemical safety assessment is not required / not conducted

12.6. Endocrine disrupting properties

The substance or mixture does not exhibit endocrine disrupting properties

12.7. Other adverse effects

Effect on the ozone layer: No known effect of the product

Ozone-depleting potential: None.

Effect on global warming: May contribute to the greenhouse effect if

released in large quantities

Global warming potential: Components Carbon dioxide: 1

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product May be vented to atmosphere in a well-ventilated place

Do not discharge into any place where its accumulation could be

dangerous

Return unused product in original cylinder to supplier

Contaminated container

OMoD Code 16 05 05

Gases in pressure containers other than those mentioned in 16 05 04.

SECTION 14: Transport information

14.1. UN number

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
1956	1956	1956

14.2. UN proper shipping name

Transport par road/rail ADR / RID	Transport by sea IMDG	Transport by air IATA
COMPRESSED GAS, N.O.S., (Nitrogen, Carbon dioxide)	COMPRESSED GAS, N.O.S., (Nitrogen, Carbon dioxide)	COMPRESSED GAS, N.O.S., (Nitrogen, Carbon dioxide)



Page: 9/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

14.3. Transport hazard class(es)

Labelling

2

ADR/RID IMDG

IATA

2.2 : Non-flammable, non-toxic gases

14.4. Packing group

ADR/RID IMDG IATA

-

14.5. Environmental hazards

ADR/RID No
IMDG No
ICAO-TI / IATA-DGR No

14.6. Special precautions for user

Data not available

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA does not need to be carried out for this product

SECTION 16: Other information

Indication of changes Revised safety data sheet in accordance with commission regulation (EU)

No 2015/830

Abbreviations and acronyms ADR: European Agreement concerning the International

Carriage of Dangerous Goods by Road

CAS: Chemical Abstract Service number (USA)



Page: 10/10

Revised edition n°: 10.0 Revision date: 10/2023

MTGXXX

Carbon dioxide 500 ppm - Oxygen 20.9% - Nitrogen

Classification Labelling Packaging Regulation; Regulation CLP:

(EC) No 1272/2008

CSA: Chemical Safety Assessment

EIGA: **European Industrial Gases Association**

EINECS: European Inventory of Existing Commercial Chemical

Substances

EN: European Standard ATE: Acute Toxicity Estimate

IATA: International Air Transport Association

IMDG Code: International Maritime Dangerous Goods Code LC50: Lethal Concentration to 50 % of a test population Swiss Ordinance on the movement of waste OMoD: PBT:

Persistent, Bioaccumulative and Toxic

PPE: Personal Protection Equipment

REACH: Registration, Evaluation, Authorisation and Restriction of

Chemicals Regulation (EC) No 1907/2006

RID: Regulations concerning the international carriage of

dangerous goods by rail

RMM: Risk Management Measures

STOT-SE: Specific Target Organ Toxicity - Single Exposure

UN: **United Nations**

vPvB: Very Persistent and Very Bioaccumulative

WGK: Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

Contains gas under pressure; may explode if heated H280

Precautionary statements

P410+403 Protect from solar radiation. Store in a well-ventilated place

Disclaimer of liability Details given in this document have been prepared based on the most

available reliable documents and are believed to be correct at the time of

going to press

They do not claim to be exhaustive and should be considered as a guide