

Page : 1/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% H\_2, 20.9% O\_2 in $N_2$

# MTGxxx

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name	Mixture 0.5% H <sub>2</sub> , 20.9% O <sub>2</sub> in N <sub>2</sub>
Chemical description	0.5% H <sub>2</sub> , 20.9% O <sub>2</sub> in N <sub>2</sub>
CAS N°	-
CE N°	-
Index N°	-
Registration n°	Exempt from registration (Annex IV/V REACH)
Chemical formula	$N_2, O_2, H_2$

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Industrial and professional
	Chemical analysis, calibration, quality control (routine)
	Laboratory use
	Contact the supplier for more information on use
Uses advised against	None

### 1.3. Details of the supplier of the safety data sheet

Company identification	MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier
Phone number	+41 (0) 26 676 94 94
E-mail address	info@multigas.ch

### 1.4. Emergency telephone numbers

145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51 +41 (0) 26 676 94 94 (Multigas)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Gases under pressure : Compressed gas

H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16



Page : 2/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% H<sub>2</sub>, 20.9% O<sub>2</sub> in N<sub>2</sub>

MTGxxx

# 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms		$\langle \cdot \rangle$
		GHS04
Signal word		Warning
Hazard statements		
	H280	Contains gas under pressure; may explode if heated
Precautionary stateme	ents	
	P410+403	Protect from solar radiation. Store in a well-ventilated place

### 2.3. Other hazards

Asphyxiant in high concentrations

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Name	Product identifier	Concentration	Classification
Nitrogen	(CAS-No.) 7727-37-9 (EC-No.) 231-783-9 (EC Index-No.) (Registration-No.)	78.6%	Press. Gas (Comp.), H280
Oxygen	(CAS-No.) 7782-44-7 (EC-No.) 231-956-9 (EC Index-No.) 008-001-00-8 (Registration-No.)	20.9%	Ox. Gas 1, H270 Press. Gas (Comp.), H280
Hydrogen	(CAS-No.) 1333-74-0 (EC-No.) 215-605-7 (EC Index-No.) 001-001-00-9 (Registration-No.)	0.5%	Flam. Gas 1, H220 Press. Gas (Comp.), H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16 Contains no other components or impurities which will influence the classification of the product

## 3.2. Mixtures

Not established



Page : 3/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% $H_2$ , 20.9% $O_2$ in $N_2$

# MTGxxx

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

General advices	See a doctor. Show this safety data sheet to the attending physician
In case of inhalation	In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor
In case of skin contact	No adverse effects expected
In case of eyes contact	No adverse effects expected
In case of ingestion	Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

### 4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation Refer to section 11

## 4.3. Indication of any immediate medical attention and special treatment needed

Data not available

SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media	The product itself does not burn. Use extinguishing media appropriate for surrounding fire	
Unsuitable extinguishing media	Do not use water jet	
5.2. Special hazards arising from the	he substance or mixture	
Specific hazards	Exposure to fire may cause containers to rupture/explode	
Hazardous combustion products	-	
5.3. Additional information	Wear self-contained breathing apparatus for firefighting, if necessary	

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases Provide adequate ventilation Evacuate the staff to safe place Personal protective equipment, see section 8



Page : 4/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% $H_2$ , 20.9% $O_2$ in $N_2$

MTGxxx

# 6.2. Environmental precautions

# 6.3. Methods and material for containment and cleaning up

### 6.4. Reference to other sections

See also sections 8 and 13

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

See also sections 8 and 13

## 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and wellventilated place Containers should not be subjected to temperatures above 50°C Pressurized contents

## 7.3. Specific end use(s)

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Components with occupational exposure limits

Component	CAS N°	Exposure value type	Value	Source		
		TWA	-	No occupational		
Nitrogon	7707 07 0	TWA	-			
Nitrogen	7727-37-9	1121-31-9	1121-31-9		-	exposure limit value
		OEL	-			
Oxygen 7782-44-7	TWA	-				
		-	No occupational exposure limit value			
		-				
		OEL	-			



Page : 5/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% $H_2,\,20.9\%$ $O_2$ in $N_2$

# MTGxxx

Hudrogon	1333-74-0	TWA	-	No occupational exposure limit
riydrogen	Hydrogen 1333-74-0	OEL	-	value
			-	

### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation Oxygen detectors should be used when asphyxiating gases may be released

## 8.2.2. Individual protection measures, e.g. personal protective equipment

Eye/face protection	Wear safety glasses with side shields. Standard EN 166
Skin / hand protection	Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk
Respiratory protection	Self-contained breathing apparatus (SCBA) or positive pressure airline with mask are to be used in oxygen-deficient atmospheres. Standard EN 137 - Self-contained open-circuit compressed air breathing apparatus with full face mask

## 8.2.3. Environmental exposure controls

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

#### Appearance

<ul> <li>Physical state at 20°C / 101.3kPa</li> </ul>	Gas
Colour	Colourless
Odour	Data not available
Odour threshold	Data not available
рН	Data not available
Melting point / Freezing point	Data not available
Boiling point	Data not available
Flash point	Data not available
Evaporation rate	Data not available
Flammability (solid, gas)	Non flammable



Page : 6/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% $H_2,\,20.9\%$ $O_2$ in $N_2$

# MTGxxx

Explosive limits	Data not available
Vapour pressure [20°C]	Data not available
Vapour pressure [50°C]	Data not available
Vapour density	Data not available
Relative density, liquid (water=1)	Data not available
Relative density, gas (air=1)	0.992
Water solubility	Data not available
Partition coefficient	Data not available
n-octanol/water (Log Kow)	
Auto-ignition temperature	Data not available
Decomposition temperature	Data not available
Viscosity	Data not available
Explosive properties	Data not available
Oxidising properties	Data not available
9.2. Other information	
Molar mass	28.72 g/mol
Critical temperature [°C]	Data not available
Relative vapor density	0.992 Lighter or similar to air

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Data not available

## 10.2. Chemical stability

Stable under the recommended storage conditions

## 10.3. Possibility of hazardous reactions

Data not available

## 10.4. Conditions to avoid

Data not available

## 10.5. Incompatible materials

None

For additional information on compatibility refer to ISO 11114 standard



Page : 7/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% H<sub>2</sub>, 20.9% O<sub>2</sub> in N<sub>2</sub>

# MTGxxx

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products

Hazardous decomposition products should not be produced

Hazardous decomposition products are formed in case of fire. Nitrogen oxides  $(\ensuremath{\mathsf{NO}}_x)$ 

## **SECTION 11: Toxicological information**

### 11.1. Chemical safety assessment

Acute toxicity	Data not available
Skin corrosion/irritation	Data not available
Serious eye damage/irritation	Data not available
Respiratory or skin sensitisation	Data not available
Germ cell mutagenicity	Data not available
Carcinogenicity	Data not available
Reproductive toxicity	Data not available
STOT-single exposure – Target organ(s)	Data not available
STOT-repeated exposure	Data not available
Aspiration hazard	Data not available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Assessment

Data not available

### 12.2. Persistence and degradability

Data not available

### 12.3. Bioaccumulative potential

Data not available

## 12.4. Mobility in soil

Data not available

### 12.5. Results of PBT and vPvB assessment

Data not available. The PBT / vPvB assessment is not available because the chemical safety assessment is not required / is not conducted



Page : 8/10 Revised edition n° : 10.0 Revision date : 01/2023

# Mixture 0.5% $H_2,\,20.9\%$ $O_2$ in $N_2$

MTGxxx

## 12.6. Other adverse effects

Global warming potential. Components: hydrogen: 6

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods	
Product	May be vented to atmosphere in a well-ventilated place
	Do not discharge into any place where its accumulation could be dangerous
Contaminated container	Return unused product in original cylinder to supplier
OMoD Code	16 05 05
	Gases in pressure containers other than those mentioned in 16 05 04.

### **SECTION 14: Transport information**

## 14.1. UN number

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
1956	1956	1956

### 14.2. UN proper shipping name

Transport par road/rail	Transport by sea	Transport by air
ADR / RID	IMDG	IATA
COMPRESSED GAS, N.O.S.,	COMPRESSED GAS, N.O.S.,	COMPRESSED GAS, N.O.S.,
(Nitrogen, Oxygen)	(Nitrogen, Oxygen)	(Nitrogen, Oxygen)

## 14.3. Transport hazard class(es)

Labelling

ADR/RID IMDG IATA 2

2.2 : Non-flammable, non-toxic gases

14.4. <u>Packing group</u> ADR/RID IMDG IATA

## 14.5. Environmental hazards

ADR/RID	No
IMDG	No



Page : 9/10 Revised edition n° : 10.0 Revision date : 01/2023

**MTGxxx** 

# Mixture 0.5% $H_2$ , 20.9% $O_2$ in $N_2$

ICAO-TI / IATA-DGR

No

# 14.6. Special precautions for user

Data not available

## 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

<b>SECTION 16: Other information</b>		
Indication of changes	Revised safe No 2015/830	ty data sheet in accordance with commission regulation (EU)
Abbreviations and acronyms	ADR :	European Agreement concerning the International Carriage of Dangerous Goods by Road
	CAS :	Chemical Abstract Service number (USA)
	CLP :	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
	CSA :	Chemical Safety Assessment
	EIGA :	European Industrial Gases Association
	EINECS :	European Inventory of Existing Commercial Chemical Substances
	EN :	European Standard
	ATE :	Acute Toxicity Estimate
	IATA :	International Air Transport Association
	IMDG Code :	International Maritime Dangerous Goods Code
	LC50 :	Lethal Concentration to 50 % of a test population
	OMoD :	Swiss Ordinance on the movement of waste
	PBT :	Persistent, Bioaccumulative and Toxic
	PPE:	Personal Protection Equipment
	REACH :	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
	RID :	Regulations concerning the international carriage of dangerous goods by rail
	RMM :	Risk Management Measures



Page : 10/10 Revised edition n° : 10.0 Revision date : 01/2023

MTGxxx

# Mixture 0.5% $H_2,\,20.9\%$ $O_2$ in $N_2$

STOT-SE :Specific Target Organ Toxicity - Single ExposureUN :United NationsvPvB :Very Persistent and Very BioaccumulativeWGK:Water Hazards Class

### Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

	H280	Contains gas under pressure; may explode if heated
Precautionary statem	ents	
	P410+403	Protect from solar radiation. Store in a well-ventilated place
Disclaimer of liability		Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
		They do not claim to be exhaustive and should be considered as a guide