

Hydrogen 3.1% - Argon 96.9%**MTG....****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

| | |
|----------------------|-----------------------------|
| Trade name | Hydrogen 3.1% - Argon 96.9% |
| Chemical description | Hydrogen 3.1% - Argon 96.9% |
| CAS N° | - |
| CE N° | - |
| Index N° | - |
| Registration n° | - |
| Chemical formula | Ar, H ₂ |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| | |
|--------------------------|---|
| Relevant identified uses | Industrial and professional Test gas/Calibration gas Laboratory use Contact the supplier for more information on use |
| Uses advised against | - |

1.3. Details of the supplier of the safety data sheet

| | |
|------------------------|---|
| Company identification | MULTIGAS Route de l'Industrie 102 CH-1564 Domdidier |
| Phone number | +41 (0) 26 676 94 94 |
| E-mail address | info@multigas.ch |

1.4. Emergency telephone numbers


145 (Toxicology Centre Zurich) or +41 (0) 44 251 51 51
+41 (0) 26 676 94 94 (Multigas)

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Gases under pressure : Compressed gas

H280

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

| | | |
|---|-------------------------|---------------------------|
|  | SAFETY DATASHEET | Page : 2/10 |
| | | Revised edition n° : 10.0 |
| | | Revision date : 04/2023 |
| Hydrogen 3.1% - Argon 96.9% | | MTG.... |

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



GHS04

Signal word

Warning

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from solar radiation. Store in a well-ventilated place

2.3. Other hazards

Asphyxiant in high concentrations

SECTION 3: Composition/information on ingredients

3.1. Substances

| Name | Product identifier | Concentration | Classification |
|----------|---|---------------|---|
| Hydrogen | (CAS-No.) 1333-74-0 (EC-No.) 215-605-7 (EC Index-No.) --- (Registration-No.)-- | 3.1% | Flam. gas 1 ;H220 Press. Gas (Comp.) ;H280 |
| Argon | (CAS-No.) 7440-37-1 (EC-No.) 231-147-0 (EC Index-No.) --- (Registration-No.)-- | 96.9% | Press. Gas (Comp.), H280 |

For the complete H-sentences texts mentioned in that chapter, refer to Section 16

Contains no other components or impurities which will influence the classification of the product

3.2. Mixtures

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice

See a doctor. Show this safety data sheet to the attending physician

Hydrogen 3.1% - Argon 96.9%

MTG....

In case of inhalation

In case of inhalation, remove the person from the contaminated area. In case of respiratory arrest, give artificial respiration. See a doctor

In case of skin contact

No adverse effects expected

In case of eyes contact

No adverse effects expected

In case of ingestion

Never give anything by mouth to an unconscious person. Rinse mouth with water. See a doctor

4.2. Most important symptoms and effects, both acute and delayed

In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation
Refer to section 11

4.3. Indication of any immediate medical attention and special treatment needed

Data not available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

The product itself does not burn
Water spray or water mist. Dry powder. Foam

Unsuitable extinguishing media

Do not use a water jet

5.2. Special hazards arising from the substance or mixture

Specific hazards

Exposure to fire may cause containers to rupture/explode

Hazardous combustion products

Data not available

5.3. Additional information

Cool endangered receptacles with water spray jet from a protected position

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid breathing vapours, spray mists or gases
Provide adequate ventilation
Evacuate the staff to a safe place
Personal protective equipment, see section 8

6.2. Environmental precautions

-

Hydrogen 3.1% - Argon 96.9%

MTG....

6.3. Methods and material for containment and cleaning up

-

6.4. Reference to other sections

See also sections 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

See also sections 8 and 13

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep container tightly closed in a dry and well-ventilated place

Pressurized contents

7.3. Specific end use(s)


-

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Components with occupational exposure limits

| Component | CAS N° | Exposure value type | Control parameter | Source |
|-----------|-----------|---------------------|-------------------|--------------------------------------|
| Hydrogen | 1333-74-0 | TWA | - | No occupational exposure limit value |
| | | | - | |
| | | OEL | - | |
| | | | - | |
| Argon | 7440-37-1 | TWA | - | No occupational exposure limit value |
| | | | - | |
| | | OEL | - | |
| | | | - | |

| | | |
|---|-------------------------|---------------------------|
|  | SAFETY DATASHEET | Page : 5/10 |
| | | Revised edition n° : 10.0 |
| | | Revision date : 04/2023 |
| Hydrogen 3.1% - Argon 96.9% | | MTG.... |

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide adequate general and local exhaust ventilation
Oxygen detectors should be used when asphyxiating gases may be released

8.2.2. Individual protection measures, e.g. personal protective equipment

| | |
|-------------------------------|--|
| Eye/face protection | Safety glasses recommended for handling cylinders Standard EN 166 - Personal eye protection |
| Skin / hand protection | Wear working gloves when handling gas containers. Standard EN 388 - Protective gloves against mechanical risk |
| Respiratory protection | Use self-contained breathing apparatus or a compressed air line with mask in case of oxygen-reduced atmosphere. Standard EN 137 - Self-contained breathing apparatus with full face mask |

8.2.3. Environmental exposure controls

-

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

| | |
|--|--------------------|
| • Physical state at 20°C / 101.3kPa | Gas |
| • Colour | Colourless. |
| Odour | Without |
| Odour threshold | - |
| pH | Data not available |
| Melting point / Freezing point | Data not available |
| Boiling point | Data not available |
| Flash point | Not applicable |
| Evaporation rate | Data not available |
| Flammability (solid, gas) | Non-flammable |
| Explosive limits | Data not available |
| Vapour pressure [20°C] | Data not available |
| Vapour pressure [50°C] | Data not available |
| Vapour density | Data not available |
| Relative density, liquid (water=1) | Data not available |
| Relative density, gas (air=1) | 1.3389 |

Hydrogen 3.1% - Argon 96.9%
MTG....

| | |
|--|--------------------|
| Water solubility | Data not available |
| Partition coefficient n-octanol/water (Log Kow) | Data not available |
| Auto-ignition temperature | Non-flammable |
| Decomposition temperature | Data not available |
| Viscosity | Data not available |
| Explosive properties | Data not available |
| Oxidising properties | Data not available |

9.2. Other information

| | |
|----------------------------------|---|
| Molar mass | 38.77 g/mol |
| Critical temperature [°C] | Data not available |
| Relative vapour density | Gas/vapour heavier than air. May accumulate in confined spaces, particularly at or below ground level |

SECTION 10: Stability and reactivity
10.1. Reactivity

Data not available

10.2. Chemical stability

Stable under the recommended storage conditions

10.3. Possibility of hazardous reactions

Data not available

10.4. Conditions to avoid

Data not available

10.5. Incompatible materials

None

For additional information on compatibility refer to ISO 11114 standard

10.6. Hazardous decomposition products

Data not available

Hydrogen 3.1% - Argon 96.9%**MTG....****SECTION 11: Toxicological information****11.1. Information on toxicological effects**

| | |
|--|--------------------|
| Acute toxicity | Data not available |
| Skin corrosion/irritation | Data not available |
| Serious eye damage/irritation | Data not available |
| Respiratory or skin sensitisation | Data not available |
| Germ cell mutagenicity | Data not available |
| Carcinogenicity | Data not available |
| Reproductive toxicity | Data not available |
| STOT-single exposure – Target organ(s) | Data not available |
| STOT-repeated exposure | Data not available |
| Ingestion hazard | Data not available |

11.2 Information on other hazards

The substance/mixture does not have endocrine disrupting properties

SECTION 12: Ecological information**12.1. Toxicity**

| | |
|------------|---------|
| Assessment | No risk |
|------------|---------|

12.2. Persistence and degradability

Data not available

12.3. Bioaccumulative potential

Data not available

12.4. Mobility in soil

Data not available

12.5. Results of PBT and vPvB assessment

No data available. PBT / vPvB assessment is not available as chemical safety assessment is not required / not conducted

12.6. Other adverse effects

The substance/mixture does not have endocrine disrupting properties

Hydrogen 3.1% - Argon 96.9%

MTG....

12.7. Other adverse effects

This product is not associated with any known ecological toxicological effects
 Effect on the ozone layer: No known effect with this product
 Ozone depletion potential: None
 Effect on global warming: May contribute to the greenhouse effect when released in large quantities
 Global warming potential: Components: hydrogen: 66

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product May be vented to atmosphere in a well-ventilated place.
 Do not discharge into any place where its accumulation could be dangerous
Contaminated container Return unused product in original cylinder to supplier
OMoD Code 16 05 05
 Gases in pressure containers other than those mentioned in 16 05 04.

SECTION 14: Transport information

14.1. UN number

| Transport by road/rail ADR / RID | Transport by sea IMDG | Transport by air IATA |
|-------------------------------------|--------------------------|--------------------------|
| 1956 | 1956 | 1956 |

14.2. UN proper shipping name

| Transport by road/rail ADR / RID | Transport by sea IMDG | Transport by air IATA |
|--|--|--|
| COMPRESSED GAS, N.O.S., (Argon, Hydrogen) | COMPRESSED GAS, N.O.S., (Argon, Hydrogen) | COMPRESSED GAS, N.O.S., (Argon, Hydrogen) |

14.3. Transport hazard class(es)

Labelling




ADR/RID
 IMDG
 IATA

2.2 : Non-flammable, non-toxic gases

14.4. Packing group

ADR/RID
 IMDG
 IATA

-

| | | |
|---|-------------------------|---------------------------|
|  | SAFETY DATASHEET | Page : 9/10 |
| | | Revised edition n° : 10.0 |
| | | Revision date : 04/2023 |
| Hydrogen 3.1% - Argon 96.9% | | MTG.... |

14.5. Environmental hazards

| | |
|--------------------|------|
| ADR/RID | None |
| IMDG | None |
| ICAO-TI / IATA-DGR | None |

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture


This safety data sheet complies with the requirements of Regulation (CE) No. 1907/2006

15.2. Chemical safety assessment

A CSA does not need to be carried out for this product

SECTION 16: Other information

| | |
|-----------------------------------|---|
| Indication of changes | Revised safety data sheet in accordance with commission regulation (EU) No 2015/830 |
| Abbreviations and acronyms | <p>ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>CAS : Chemical Abstract Service number (USA)</p> <p>CLP : Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008</p> <p>CSA : Chemical Safety Assessment</p> <p>EIGA : European Industrial Gases Association</p> <p>EINECS : European Inventory of Existing Commercial Chemical Substances</p> <p>EN : European Standard</p> <p>ATE : Acute Toxicity Estimate</p> <p>IATA : International Air Transport Association</p> <p>IMDG Code : International Maritime Dangerous Goods Code</p> <p>LC50 : Lethal Concentration to 50 % of a test population</p> <p>OMoD : Swiss Ordinance on the movement of waste</p> <p>PBT : Persistent, Bioaccumulative and Toxic</p> <p>PPE : Personal Protection Equipment</p> <p>REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006</p> |

| | | |
|---|-------------------------|---------------------------|
|  | SAFETY DATASHEET | Page : 10/10 |
| | | Revised edition n° : 10.0 |
| | | Revision date : 04/2023 |
| Hydrogen 3.1% - Argon 96.9% | | MTG.... |

RID : Regulations concerning the international carriage of dangerous goods by rail
 RMM : Risk Management Measures
 STOT-SE : Specific Target Organ Toxicity - Single Exposure
 UN : United Nations
 vPvB : Very Persistent and Very Bioaccumulative
 WGK: Water Hazards Class

Full text of H, EUH and P statements used in sections 2 and 3

Hazard statements

H280 Contains gas under pressure; may explode if heated

Precautionary statements

P410+P403 Protect from solar radiation. Store in a well-ventilated place

Disclaimer of liability

Details given in this document have been prepared based on the most available reliable documents and are believed to be correct at the time of going to press
 They do not claim to be exhaustive and should be considered as a guide